
# A New Fit to $K\pi$ Wrong Sign

Jonathan Link
Milano Meeting
July 13, 2000

## What's Wrong with the Current Fit?

#### $\chi^2$ For the Double Gaussian Fit by Points




$$\chi^2/ndf = 318/80$$

The high  $\chi^2$  is due to the poor signal shape model.

But what is the correct model?

$$BR = (0.431 \pm 0.094)\%$$

## New Fit Method




- Mask off RS signal region.
- Fit RS and WS background to the same 2 parameter function:

$$f(x) = a(x - m_p)^{1/2} + b(x - m_p)^{3/2}$$

• Scale RS signal, from data, to match WS signal.

The scale factor is the Branching Ratio!

## How Should the Mask Region be Chosen?



- The points circled in red draw the BG fit up when they are included in the fit.
- And they lower the BR.

# Mskd	BR	χ²/ndf
8	$0.4560\pm0.0918$	86.3/69
9	$0.4680 \pm 0.0919$	79.7/68
10	0.4816±0.0920	71.1/67
Full fit	0.431±0.094	318/80

• This difference is consistent with the statistical errors on the BG parameters.

#### Conclusion

- New fit method has a superior  $\chi^2/ndf$ .
- It gives the highest branching ratio of any of the methods.
- But a study of the RS plot indicates that this choice of masked region is the most logical.

#### Work Still to be Done

- Try to improve the D<sup>0</sup> fit, especially in the RS signal region.
- Systematic study of systematic errors.
- The draft is in preparation, including the study suggested by Jim.

http://www-focus.fnal.gov/link/kpi/draft.html